



TRUSTILE WOOD ENTRY SYSTEMS

DESIGN THAT MOVES YOU





See page 30 for product details.

THE TRUSTILE STORY

Since 1995, TruStile has put design at the center of our products and processes. From the materials we select to our exacting craft and design, we engineer for quality that sets the tone for the whole home. In collaboration with our parent company, Marvin®, we have created a family of premium entry systems that don't just transform a space, but how you feel inside it. Make the entry to your new home a most welcoming invitation with an exceptional entrance by TruStile.

EXCELLENCE
IN ENTRY
SYSTEMS

TRUSTILE®
A MARVIN BRAND

MARVIN® 



TRUSTILE RESERVE

| | |
|--------------|--------------|
| System Code | TMF1000-103B |
| Layout | ES103 |
| Door Style | TMF1000 |
| Sidelite | DSG100 |
| Wood Species | Mahogany |
| Finish | Ebony |
| Glass | White Lami |





TABLE OF CONTENTS


| | |
|--|----|
| Wood Entry Systems | 4 |
| Entry System Selection Guide..... | 6 |
| Architectural Styles Overview..... | 8 |
| Modern | 10 |
| Traditional..... | 22 |
| Modern Farmhouse | 30 |
| French Country | 36 |
| Coastal..... | 42 |
| Mediterranean..... | 48 |
| Craftsman | 54 |
| Cape Cod..... | 60 |
| Entry System Layouts | 66 |
| Door Style Reference Guide | 68 |
| Outswing Doors | 83 |
| Transom and Sidelite Options..... | 84 |
| Construction and Acetylation..... | 86 |
| Profile Options and Mull Construction..... | 88 |
| Wood Species and Stain Options..... | 90 |
| Hinge, Sill, Glass and Multipoint Lock Options | 92 |
| Entry System Comparison | 94 |
| Warranty and Overhang Requirements..... | 95 |
| Design Tools..... | 96 |

TRUSTILE ENTRY SYSTEMS MATERIAL CONSTRUCTION



Resilient Wood Entry Systems™

The Resilient Wood Entry System sets the tone of quality for the whole home using the most durable painted construction without sacrificing any design options.



- Engineered with resilient Accoya®, an acetylated wood product, which brings unprecedented reliability and durability to wood.
- Tricoya® top layers provide exceptional stability, durability and paintability, for outdoor applications.
- Most configurations delivered pre-hung with an Accoya built jamb and a premium prime finish, ready to paint to match your design.
- 10-year warranty with limited and no-overhang applications, depending on system design specifications, for both inswing and outswing units.


Choose the Material Best Suited for Your Project

Both material construction options have been extensively tested and proven in partnership with the Marvin® Research and Development team.



Reserve Wood Entry Systems™

The Reserve Wood Entry System elevates the refined elegance of your home with the beauty of stained natural wood.



- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers to provide exceptional stability and durability.
- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- 5-year limited warranty with industry standard overhang requirements for both inswing and outswing units.

TRUSTILE ENTRY SYSTEMS

TWO WAYS TO CREATE YOUR ENTRY SYSTEM



Start designing at
www.trustile.com/configurator
Details on page 96.

Select From Our Featured Entry Systems

We've created over 80 featured entry systems that capture the current trends of popular architectural styles. Start with the style most closely matching your vision for your home and tailor it to match your tastes and requirements.

Or Build Your Own Entry System

Design your custom entry system in a few simple steps. Choose the right material for your project. Select from over 500 door styles and endless design options. Then finalize the details to your exact specifications.

Select From Over 80 Featured Entry Systems

See all options in each architectural section starting on page 9.



1 Choose Construction




TruStile Resilient




TruStile Reserve

2 Choose a System Layout




ES103 ES105



ES106 ES109



3 Choose a Door Style



TS3150




TM13110




PL143




FL618




4 Choose Sidelites & Transoms




FL100



TM9340



TRG400



See construction details
on pages 82-83.


See all entry system layouts
on pages 66-67.

See over 500 door style options
on pages 68-78.

Explore sidelite and transom options
on pages 80-81.



MODERN



TRADITIONAL



MODERN FARMHOUSE



COASTAL*



MEDITERRANEAN



CRAFTSMAN

* Architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.



SE



FRENCH COUNTRY



CAPE COD

Wood is a natural product and the finish and color will vary depending on the wood species and lighting on the job site. The images printed within this catalog are a representation of TruStile species and stain colors and do not replace seeing the stain and wood samples in person. Please visit your local TruStile dealer to request a factory finished stain sample.



ARCHITECTURAL STYLES

IMPACTFUL
SOPHISTICATED

AUTHENTIC

TruStile has curated over 80 featured designs
across eight architectural styles to make it easy
to find the right look for your new entrance.





MODERN

SLEEK
CONTEMPORARY
STRIKING

TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | TMIR6001-102B |
| Layout | ES102 |
| Door Style | TMIR6001 |
| Sidelite | DSG100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Mahogany |
| Finish | White Haze |
| Glass | Clear |

MODERN

TRUSTILE RESILIENT

| | |
|--------------|------------------|
| System Code | TM3100-111B |
| Layout | ES111 |
| Door Style | TM3100 |
| Sidelite | DSG100 |
| Transom | DSG100 |
| Profile | SS Sticking |
| Wood Species | Resilient Wood |
| Finish | SW 7069 Iron Ore |
| Glass | Clear |





Shown with recessed configuration
and right handing.

TRUSTILE RESERVE

| | |
|--------------|---------------------------------|
| System Code | TMIR9001-108A |
| Layout | ES108 |
| Door Style | TMIR9001 |
| Sidelite | FL100 |
| Transom | TRG100 |
| Profile | $\frac{1}{4}$ " Kerf Cut Reveal |
| Wood Species | Mahogany |
| Finish | Slate |
| Glass | Clear |

MODERN



MODERN



TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | TMIR1002-102B |
| Layout | ES102 |
| Door Style | TMIR1002 |
| Sidelite | DSG100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Walnut |
| Finish | Ebony |
| Glass | Clear |

MODERN



TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TM6100-105A |
| Layout | ES105 |
| Door Style | TM6100 |
| Sidelite | TM1000 |
| Profile | SS Sticking |
| Wood Species | Rift Sawn White Oak |
| Finish | White Haze |
| Glass | Clear |



TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | TMIR6000-106B |
| Layout | ES106 |
| Door Style | TMIR6000 |
| Sidelite | DSG100 |
| Transom | DSG100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Mahogany |
| Finish | Cinnamon |
| Glass | Clear |

MODERN

TRUSTILE RESILIENT

| | |
|--------------|----------------------|
| System Code | TMIR4000-108A |
| Layout | ES108 |
| Door Style | TMIR4000 |
| Sidelite | FL100 |
| Transom | FL100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Resilient Wood |
| Finish | SW 2735 Rockweed |
| Glass | Clear |





TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | TMF1000-103A |
| Layout | ES103 |
| Door Style | TMF1000 |
| Sidelite | FL100 |
| Wood Species | Plain Sawn White Oak |
| Finish | Nutmeg |
| Glass | Clear |

MODERN

TRUSTILE RESERVE


| | |
|--------------|----------------------|
| System Code | TM9350-105A |
| Layout | ES105 |
| Door Style | TM9350 |
| Sidelite | FL100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Walnut |
| Finish | Ebony |
| Glass | Clear |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Modern Entry Systems in this Catalog




TMIR6001-102B
pg 10




TM3100-111B
pg 12




TMIR9001-108A
pg 13




TM9340-105C
pg 14




TMIR1002-102B
pg 15




TM6100-105A
pg 16




TMIR6000-106B
pg 17



TMIR4000-108A
pg 18




TMF1000-103A
pg 19




TM9350-105A
pg 20


Other Featured Modern Entry Systems




TMF1000-103B
pg 2




TMIR5101-103B
pg 68




TMF1000-102D
online




TM5100-105A
online




TM9160-102A
online




TM9310-111A
online




TMIR6080-108A
online



TM6001-ES102A
online



TM4000-105C
online



TM9000-108A
online

See more door style options on pages 68-75.





TRADITIONAL

CLASSIC
POLISHED
TIMELESS

TRUSTILE RESILIENT

| | |
|--------------|---------------------|
| System Code | TS3070-204A |
| Layout | ES204 |
| Door Style | TS3070 |
| Transom | FL100 |
| Profile | QB Sticking/B Panel |
| Wood Species | Resilient Wood |
| Finish | SW 7069 Iron Ore |
| Glass | Clear |

TRADITIONAL



TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS3000-109D |
| Layout | ES109 |
| Door Style | TS3000 |
| Sidelite | FL300 |
| Transom | TRG100 |
| Profile | QB Sticking/B Panel |
| Wood Species | Mahogany |
| Finish | Nutmeg |
| Glass | Clear |

TRADITIONAL



TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | FL616-109C |
| Layout | ES109 |
| Door Style | FL616 |
| Sidelite | FL310 |
| Transoms | TRG100 and TRG200 |
| Profile | SS Sticking/C Panel |
| Wood Species | Plain Sawn White Oak |
| Finish | Hazelnut |
| Glass | Clear |

TRADITIONAL



TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS6020-108D |
| Layout | ES108 |
| Door Style | TS6020 |
| Sidelite | TS3070 |
| Transom | TRG600 |
| Profile | OG Sticking/D Panel |
| Wood Species | Mahogany |
| Finish | Ebony |
| Glass | Clear |



TRADITIONAL



TRUSTILE RESILIENT

| | |
|--------------|---------------------|
| System Code | TS3100-109C |
| Layout | ES109 |
| Door Style | TS3100 |
| Sidelite | FL110 |
| Transom | TRG100 |
| Profile | OS Sticking/A Panel |
| Wood Species | Resilient Wood |
| Finish | SW 6990 Caviar |
| Glass | Clear |

TRADITIONAL




TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS4060-504A |
| Layout | ES504 |
| Door Style | TS4060 |
| Transom | TRG110 |
| Profile | CB Sticking/B Panel |
| Wood Species | Mahogany |
| Finish | Cinnamon |
| Glass | Clear |


Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Traditional Entry Systems in this Catalog




TS3070-204A
pg 22




TS3000-109D
pg 24




FL616-109C
pg 25



TS6020-108D
pg 26




TS3100-109C
pg 27




TS4060-504A
pg 28


Other Featured Traditional Entry Systems




TS3300-108C
online




TS4000-105A
online




TS3280-104D
online



TS3160-504A
online



PL234-104C
online



TS4300-308C
pg 76

See more door style options on pages 68-78.





Right: Pair of TS4100 interior doors

MODERN FARMHOUSE

FRESH
RELAXED
UPDATED

TRUSTILE RESILIENT

| | |
|--------------|-----------------------|
| System Code | FL400-108C |
| Layout | ES108 |
| Door Style | FL400 |
| Sidelite | FL400 |
| Transom | TRG400 |
| Profile | BV Sticking |
| Wood Species | Resilient Wood |
| Finish | SW 9130 Evergreen Fog |
| Glass | Clear |

MODERN FARMHOUSE



TRUSTILE RESERVE


| | |
|--------------|---------------------------|
| System Code | FL1001-108C |
| Layout | ES108 |
| Door Style | FL1001 |
| Sidelite | FL501 |
| Transom | TRG400 |
| Profile | BV Sticking/C Panel |
| Wood Species | Quarter Sawn White Oak |
| Finish | Grey Mist |
| Glass | Clear |



TRUSTILE RESERVE

| | |
|--------------|-------------------------|
| System Code | PL104-205C |
| Layout | ES205 |
| Door Style | PL104 |
| Sidelite | PL102 |
| Profile | SS Sticking/C Panel |
| Wood Species | Plain Sawn White Oak |
| Finish | Grey Mist |
| Glass | Clear |

MODERN FARMHOUSE




TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | PL106-204A |
| Layout | ES204 |
| Door Style | PL106 |
| Transom | TRG100 |
| Profile | SS Sticking/C Panel |
| Wood Species | Walnut |
| Finish | Amaretto |
| Glass | Clear |


Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Modern Farmhouse Entry Systems in this Catalog




FL400-108C
pg 30



FL1001-108C
pg 32




PL104-205C
pg 33




PL106-204A
pg 34


Other Featured Modern Farmhouse Entry Systems




PL224-105C
online



FL300-204A
online



PL206-108C
online



PL119-106D
online

See more door style options on pages 68-78.





FRENCH COUNTRY

ORNATE
CHARMING
ELEGANT

TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS5030-108D |
| Layout | ES108 |
| Door Style | TS5030 |
| Sidelite | FL110 |
| Transom | TRG100 |
| Profile | BV Sticking/A Panel |
| Wood Species | Walnut |
| Finish | Clear |
| Glass | Clear |

FRENCH COUNTRY



TRUSTILE RESILIENT

| | |
|--------------|-----------------------------------|
| System Code | TS3160-201 |
| Layout | ES201 |
| Door Style | TS3160 <i>Common Arch Pair</i> |
| Profile | OG Sticking/B Panel |
| Wood Species | Resilient Wood |
| Finish | SW 6227 Meditative |

FRENCH COUNTRY



TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS4200-105C |
| Layout | ES105 |
| Door Style | TS4200 |
| Sidelite | TS3130 |
| Profile | OG Sticking/B Panel |
| Wood Species | Mahogany |
| Finish | Caramel |
| Glass | Clear |

FRENCH COUNTRY



TRUSTILE RESILIENT


| | |
|--------------|-----------------------------------|
| System Code | TS5020-201 |
| Layout | ES201 |
| Door Style | TS5020 <i>Common Arch Pair</i> |
| Profile | OG Sticking/B Panel |
| Wood Species | Resilient Wood |
| Finish | SW 9580 Cracked Pepper |
| Glass | Beveled |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured French Country Entry Systems in this Catalog




TS5030-108D
pg 36



TS3160-201
pg 38




TS4200-105C
pg 39



TS5020-201
pg 40


Other Featured French Country Entry Systems




FL800-108C
online



PL106-109C
online



PL109-102C
online



TS4000-108D
online

See more door style options on pages 68-78.





COASTAL*

BREEZY

WELCOMING

CASUAL

TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | FL810-105C |
| Layout | ES105 |
| Door Style | FL810 |
| Sidelite | FL401 |
| Profile | OG Sticking/B Panel |
| Wood Species | Mahogany |
| Finish | White Haze |
| Glass | Clear |

* Coastal represents an architectural category only. Impact and hurricane ratings not currently available. See your TruStile dealer to verify compatibility with your local building code.


COASTAL

TRUSTILE RESERVE

| | |
|--------------|-----------------------------|
| System Code | TMP1000-107B |
| Layout | ES107 |
| Door Style | TMP1000 |
| Sidelite | DSG100 |
| Transom | DSG100 |
| Profile | 1/4" Kerf Cut Reveal |
| Wood Species | Rift Sawn White Oak |
| Finish | White Haze |
| Glass | Clear |



COASTAL




TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | PL145-105C |
| Layout | ES105 |
| Door Style | PL145 |
| Sidelite | PL145 |
| Profile | SS Sticking/VG Panel |
| Wood Species | Walnut |
| Finish | Slate |
| Glass | Clear |

COASTAL

TRUSTILE RESERVE


| | |
|--------------|---------------------|
| System Code | TS3130-109C |
| Layout | ES109 |
| Door Style | TS3130 |
| Sidelite | TS3130 |
| Transom | TRG100 |
| Profile | SS Sticking/C Panel |
| Wood Species | Rift Sawn White Oak |
| Finish | Grey Mist |
| Glass | Clear |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Coastal Entry Systems in this Catalog




FL810-105C
pg 42



TMP1000-107B
pg 44




PL145-105C
pg 45




TS3130-109C
pg 46


Other Featured Coastal Entry Systems




TM9250-115B
online



TS3070-106D
online



TS5000-102C
online



TS4140-108C
online

See more door style options on pages 68-78.





MEDITERRANEAN

WARM
VIBRANT
GRAND

TRUSTILE RESERVE


| | |
|--------------|----------------------|
| System Code | PL145-201 |
| Layout | ES201 |
| Door Style | PL145 |
| Profile | QB Sticking/VG Panel |
| Wood Species | Walnut |
| Finish | Clear |
| Glass | Clear |

MEDITERRANEAN

TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS3130-201 |
| Layout | ES201 |
| Door Style | TS3130 |
| Profile | BM Sticking/B Panel |
| Wood Species | Walnut |
| Finish | Slate |





TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | VG3000-105C |
| Layout | ES105 |
| Door Style | VG3000 |
| Sidelite | TS3000 |
| Profile | SS Sticking/VG Panel |
| Wood Species | Walnut |
| Finish | Clear |
| Glass | Clear |

MEDITERRANEAN

TRUSTILE RESILIENT


| | |
|--------------|-------------------|
| System Code | VG1000-101 |
| Layout | ES101 |
| Door Style | VG1000 |
| Profile | Standard V-Groove |
| Wood Species | Resilient Wood |
| Finish | SW 6328 Fireweed |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Mediterranean Entry Systems in this Catalog




PL145-201
pg 48



TS3130-201
pg 50




VG3000-105C
pg 51




VG1000-101
pg 52


Other Featured Mediterranean Entry Systems




TS8000-101
online



TS6080-105
online



VG2020-101
online



PL176-204A
online

See more door style options on pages 68-78.





CRAFTSMAN

AUTHENTIC

PRECISE

COMFORTING

TRUSTILE RESERVE

| | |
|--------------|---------------------------------|
| System Code | PL333-105C |
| Layout | ES105 |
| Door Style | PL333 (Small Dentil Bird Ledge) |
| Sidelite | PL130 (Small Dentil Bird Ledge) |
| Profile | SS Sticking/C Panel |
| Wood Species | Plain Sawn White Oak |
| Finish | Grey Mist |
| Glass | Clear |

CRAFTSMAN

TRUSTILE RESERVE

| | |
|--------------|-----------------------------|
| System Code | FL618-205C |
| Layout | ES205 |
| Door Style | FL618 (Common Arch Pair) |
| Sidelite | FL315 (Common Arch Pair) |
| Profile | QR Sticking/B Panel |
| Wood Species | Mahogany |
| Finish | White Haze |
| Glass | Clear |



CRAFTSMAN



TRUSTILE RESILIENT

| | |
|--------------|---------------------|
| System Code | PL236-109C |
| Layout | ES109 |
| Door Style | PL236 |
| Sidelite | PL104 |
| Transoms | TRG200 and TRG300 |
| Profile | SS Sticking/C Panel |
| Wood Species | Resilient Wood |
| Finish | SW 7006 Extra White |
| Glass | Clear |

CRAFTSMAN

TRUSTILE RESERVE


| | |
|--------------|---------------------------------|
| System Code | PL243-105C |
| Layout | ES105 |
| Door Style | PL243 (Small Dentil Bird Ledge) |
| Sidelite | PL232 (Small Dentil Bird Ledge) |
| Profile | SS Sticking/C Panel |
| Wood Species | Rift Sawn White Oak |
| Finish | Hazelnut |
| Glass | White Lami |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Craftsman Entry Systems in this Catalog




PL333-105C
pg 54



FL618-205C
pg 56




PL236-109C
pg 57




PL243-105C
pg 58


Other Featured Craftsman Entry Systems




PL234-105C
online



PL136-108C
online



PL143-103C
online



PL343-102C
online

See more door style options on pages 68-78.





CAPE COD

HISTORIC
AMBITIOUS
STATELY

TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | PL224-109C |
| Layout | ES109 |
| Door Style | PL224 |
| Sidelite | PL222 |
| Transoms | TRG100 |
| Profile | OG Sticking/A Panel |
| Wood Species | Rift Sawn White Oak |
| Finish | Ebony |
| Glass | Clear |



TRUSTILE RESERVE

| | |
|--------------|----------------------|
| System Code | PL106-308C |
| Layout | ES308 |
| Door Style | PL106 |
| Sidelite | PL103 |
| Transom | TRG110 |
| Profile | QR Sticking/A Panel |
| Wood Species | Plain Sawn White Oak |
| Finish | Hazelnut |
| Glass | White Lami |



TRUSTILE RESERVE

| | |
|--------------|---------------------|
| System Code | TS2210-105C |
| Layout | ES105 |
| Door Style | TS2210 |
| Sidelite | TS2210 |
| Profile | CB Sticking/B Panel |
| Wood Species | Walnut |
| Finish | Champagne |
| Glass | Clear |

CAPE COD

TRUSTILE RESILIENT


| | |
|--------------|----------------------|
| System Code | PL224-101 |
| Layout | ES101 |
| Door Style | PL224 |
| Profile: | CB Sticking/A Panel |
| Wood Species | Resilient Wood |
| Finish | SW 0018 Teal Stencil |
| Glass | Clear |




Choose One of Our Featured Entry Systems

Designed by TruStile and ready to order through your local dealer.


Featured Cape Cod Entry Systems in this Catalog




PL224-109C
pg 60



PL106-308C
pg 62




TS2210-105C
pg 63




PL224-101
pg 64


Other Featured Cape Cod Entry Systems




TS4140-105C
pg 75



TS5060-104D
online



PL109-109C
online




FL1000-308C
online

See more door style options on pages 68-78.


Entry System Layouts

Begin every project by selecting your entry system layout. From a single door, or a door and one sidelite, to a pair of doors with matching sidelites and transoms, this key will get you off to the right start.

SINGLE DOOR SYSTEMS



PAIRED DOOR SYSTEMS




ARCH- AND RADIUS-TOP SYSTEMS **




* ES101 and ES201 are available for TruStile Resilient Wood Entry Systems™ with no overhang applications.


** Arch- and radius-top systems are only available on TruStile Reserve Wood Entry Systems™. VG door styles not available with radius or arch tops.



TRUSTILE (TS) SERIES



TRUSTILE (TS) SERIES






TruStile Resilient TS3070-201A
See page 23 for complete specs.




TruStile Reserve TS4140-105C
with PL100 sidelites.

TRUSTILE (TS) SERIES



FRENCH LITE (FL) SERIES




* These styles only available as sidelites.


TruStile Resilient FL400-108C
See page 31 for complete specs.



FRENCH LITE (FL) SERIES



FRENCH LITE (FL) SERIES



* These styles only available as sidelites.

PANEL LITE (PL) SERIES



PANEL LITE (PL) SERIES






TruStile Resilient PL224-101
See page 64 for complete specs.

PANEL LITE (PL) SERIES



TRU&MODERN (TM) SERIES






TRU&MODERN (TM) SERIES








TRU&MODERN INFINITE RAIL (TMIR) SERIES



TruStyle Reserve TMIR6000-106B
See page 17 for complete specs.

TRU&MODERN FLUSH (TMF) SERIES




* Arrows indicate grain direction.






TRU&MODERN FLUSH WITH GLASS (TMFG) SERIES






TRU&MODERN PLANK (TMP) SERIES



V-GROOVE (VG) SERIES



* Resilient only



TruStile Resilient TS3070-201
See page 44 for complete specs.



Resilient TS4200-101 outswing entry system with One Step (OS) sticking and Raised (A) panel.

Outswing Doors for Residential Applications

The Resilient and Reserve Wood Entry System is available for residential outswing applications including porch, side of house, and garage entrances.

TruStile Resilient Entry Systems™

- Engineered with resilient Accoya® and Tricoya®—acetylated wood solutions that bring unprecedented reliability and durability to wood for painted outdoor applications.
- Available in single and double door configurations, featuring an aluminum outswing sill with an oak threshold. Transoms and sidelites are not yet available.
- Features Emtek® solid brass non-removable pin hinges paired with a solid Accoya® frame for maximum performance.
- GU-Secure Automatic multipoint lock required for applications without an overhang and dark painted colors.
- Most configurations are delivered pre-hung with a premium prime finish, ready to paint to match your design.
- 10-year warranty available on residential projects with reduced and no overhang openings, depending on system design specifications.



Resilient PL143-101 outswing entry system with Roman Ogee (OG) sticking and Raised (A) panel

TruStile Reserve Entry Systems™

- Elevates the refined elegance of your home with the beauty of stained natural wood.
- Engineered with a laminated veneer lumber (LVL) core and Tricoya® layers to provide exceptional stability and durability.
- Single doors and double doors (per leaf) available up to 48" wide and 120" tall.
- 10 natural wood species available with an extensive collection of premium factory stain options.
- Premium appearance standards ensure industry-leading grain and color matching.
- 5-year limited warranty on residential projects, with industry standard overhang requirements.
- Features Emtek® solid brass non-removable pin hinges.



Reserve FL451-101 outswing entry system in select alder with White Haze finish, Bevel (BV) sticking, Raised (F) panel and clear glass.


Transoms

Select from this extensive collection of transoms to complement your entry door.




IN-SASH SQUARE TRANSOMS


Available in 1- to 18-lites.



TRG100



TRG300




TRG400




ARCH- AND RADIUS-TOP TRANSOMS

Available only for TruStile Reserve



TRG110



TRG120




DIRECT SET SIDELITES AND TRANSOMS

Maximize the amount of natural light available.



DSG100



INTERIOR SIDE

EXTERIOR SIDE

Direct set cross section



DSG100

Sidelites

Select from this extensive collection of sidelites to complement your entry door. Many panel doors available with glass options.




ONE-LITE IN-SASH SIDELITES



COMPLEMENTARY SIDELITES




MATCHING DOOR SIDELITES



A one-lite in-sash sidelite is a classic look that brings natural light into your entrance.


Order sidelites with stiles and rails as narrow as 1-7/8".

We offer a wide selection of sidelites to complement your door style.



Note: Most door styles on pages 68-78 can be selected as a sidelite.

Many door styles are available as a matching sidelite.




Resilient and Reserve Wood Entry Systems Construction

In collaboration with our parent company, Marvin®, we have engineered a family of premium entry systems that don't just transform a space, but how you feel inside it.


TruStile Entry Systems have been extensively tested and proven in partnership with the Marvin Research and Development team.

Resilient Wood Entry Systems™



Stile & Rail Door Construction

Reserve Wood Entry Systems™




Stile & Rail Door Construction

So, What is Acetylation?


Acetylation is a process used to enhance the naturally-occurring properties of wood. In simple terms, it 'pickles' the wood, reducing how much water the cells in the wood can absorb.

The process uses acetic anhydride, a derivative of vinegar, to change hydroxyl groups in the wood (which like water) into acetyl groups (which don't like water), resulting in improved performance characteristics without harmful or environmentally unfriendly additives.

Altogether, this means the wood shrinks and swells much less when wet, and is much less susceptible to decay or insect attack. The finished product is highly durable and dimensionally stable, outperforming all known species of wood.



Flush Door Construction



Flush Door Construction

Wood Performance Every Home Can Rely On

Learn more about the innovative, durable materials used in making our entry systems.



As the sister brand to Accoya®, Tricoya® is an acetylated wood panel product that achieves the same ultra-high levels of durability and stability in the most extreme and challenging climates and outdoor applications. Tricoya is used as a stable core material within the Reserve™ Wood Entry system and a durable, paintable surface layer of our Resilient™ Entry system.

- Doesn't shrink or swell like other wood products
- Superior paintability and consistent surface across the entire door
- Complies with CARB 93120 for No Added Formaldehyde



Accoya® is an acetylated, modified wood product that is unsurpassed when it comes to durability, stability and withstanding the test of any climate.


As part of the TruStile Resilient™ Entry System, Accoya® is used for the core and frame components for durability, stability, and superior rot resistance.

- Doesn't shrink or swell like other wood species
- 100% real wood. A sustainable and durable material
- Solid wood core provides superior screw holding on door edge




Profile Options

PANEL PROFILES



Raised (A) Panel




Scoop (B) Panel


Also available with bladder-press panel




Flat (C) Panel




Double Hip (D) Panel



Senior Raised (E) Panel



Senior Bevel (F) Panel




Standard V-Groove (VG) Panel

STICKING PROFILES




Square Stick (SS) Sticking



Roman Ogee (OG) Sticking




One Step (OS) Sticking



Quarter Bead (QB) Sticking



Quarter Round (QR) Sticking



Bevel (BV) Sticking




Cove & Bead (CB) Sticking

APPLIED MOULDINGS




Cove (CV) Applied Moulding



Low Profile Bolection (LP) Moulding




Bolection (BM)
Moulding




Big Bolection (BB)
Moulding


SIMULATED DIVIDED LITE BARS (SDL)




Square Stick (SS) SDL Glass




Roman Ogee (OG) SDL Glass




One Step (OS) SDL Glass




Quarter Bead (QB) SDL Glass



Quarter Round (QR) SDL Glass




Bevel (BV) SDL Glass




Cove & Bead (CB) SDL Glass

Frame Profile and Mull Construction


TRUE DIVIDED LITE BARS (TDL)




Square Stick (SS) TDL Glass




Roman Ogee (OG) TDL Glass




One Step (OS) TDL Glass




Quarter Bead (QB) TDL Glass



Quarter Round (QR) TDL Glass



Bevel (BV) TDL Glass




Cove & Bead (CB) TDL Glass

All Reserve Wood frame parts undergo a wood dip treatment to protect against fungus and insects. Resilient Wood frames don't require dipping.

FRAME OPTIONS


UNIFRAME MULL POST OPTIONS

Single Rabbet Frame
with Back-to-Back Mull Posts




Default for all door applications

Double Rabbet Frame
with Back-to-Back Mull Post




Accommodates screen door applications

Single Rabbet Frame
with 4 $\frac{1}{16}$ " Uniframe Mull Posts



Single Rabbet Frame
with 6 $\frac{1}{16}$ " Uniframe Mull Posts



Double rabbet frame, uniframe, and screen doors are available on TruStile Reserve Wood Entry Systems™ only

Wood Species for Reserve Entry Systems

The Reserve Wood Entry System™ elevates the refined elegance of your home with the beauty of stained natural wood. Available in 10 natural wood species with an extensive collection of premium factory stain options.



Consider the Resilient™
Wood Entry System for
paint-grade applications.



Mahogany



Genuine Mahogany



Cherry



Douglas Fir (*Vertical Grain*)



Select Alder



Walnut



Plain Sawn White Oak



Quarter Sawn White Oak



Rift Sawn White Oak



Clear Pine

Paint-Grade Mahogany and Paint-Grade Douglas Fir not shown.

Stain Options

TruStile uses stains from ICA, a leading European finish manufacturer, for factory-finished entry systems. We begin by applying either a clear or tinted base stain with UV inhibitors (unfinished doors also get this base coat). Then a total of five coats of finish are applied. This includes two seal coats and three topcoat layers of finish giving a robust dry film finish thickness. Slight color and sheen differences might occur between interior and exterior finishes.

| | Amaretto | Bleached | Cameo | Cappuccino | Caramel | Champagne | Cinnamon | Ebony | Espresso | Grey Mist | Hazelnut | Honey | Nutmeg | Slate | White Haze |
|--------------|----------|----------|-------|------------|---------|-----------|----------|-------|----------|-----------|----------|-------|--------|-------|------------|
| Mahogany | | | | | | | | | | | | | | | |
| Cherry | | | | | | | | | | | | | | | |
| Clear Pine | | | | | | | | | | | | | | | |
| Douglas Fir | | | | | | | | | | | | | | | |
| Select Alder | | | | | | | | | | | | | | | |
| Walnut | | | | | | | | | | | | | | | |
| White Oak | | | | | | | | | | | | | | | |

White oak is available as rift sawn, plain sawn or quarter sawn. Plain sawn white oak shown above.

The color of the finish can vary depending on the color of the wood, lighting on the job site, and natural exposure to oxidation and sunlight. To get the best example of the stain color on a specific species, please visit your TruStile dealer.

Hinge Options

Entry systems include 4-1/2" x 4-1/2" TruStile ball-bearing hinges; available in 11 finish options.

Emtek® and Baldwin® hinges can be specified and are available in 5" x 5" size and solid brass.



US3 Bright Brass



US19 Flat Black



US5 Antique Brass



US4 Satin Brass



US10A Antique Bronze



10B Oil-Rubbed Bronze



US14 Polished Nickel



US15 Satin Nickel



US15A Antique Nickel




US26 Polished Chrome




US26D Satin Chrome

Sill Options


Choose from the sill options below to complete your entry system.




Oak Adjustable




Hydrosill




ADA



Solid Wood



Solid Wood with
Brass Interlock*



Wood Outswing

Solid wood sills available in genuine mahogany and plain sawn white oak.


** Only available on TruStile Reserve Entry Systems™.*

Insulated Glass Options

Complete your grand entrance with one of our many insulated glass options, including LoE and several decorative patterns.



Clear (LoE 272)*



Frosted



White Lami



Aqualite



Bevel



Single Glue Chip



Obscure



Rain



English Reeded



Wavy Seedy (Glacier)

Multipoint Lock Option

TruStile offers an automatic locking system from GU-Security which is required for certain warranty coverage.



** Compatible lever trim set required, not included with multi-point lock.*



See our website for details.
www.trustile.com/multipoint

* Clear glass also available as LoE 366, LoE 340, LoE 180, Low Iron and Clear Lami.

Comparison of Resilient and Reserve Wood Entry Systems

| | Resilient Wood Entry Systems™ with Reduced Overhang | Resilient Wood Entry Systems™ with No Overhang Required | Reserve Wood Entry Systems™ Standard Overhang Required |
|---------------------------------|---|---|--|
| Door Styles | Over 500 standard door styles | Over 500 standard door styles | Over 500 standard door styles |
| Maximum Door Size | | | |
| Single | Flush Door Styles 47" x 118" | 47" x 96" | 48" x 120" |
| | Stile & Rail Door Styles 48" x 118" | 48" x 96" | |
| Pairs | Flush Door Styles 94" x 118" | 72" x 96" | 96" x 120" |
| | Stile & Rail Door Styles 96" x 118" | 72" x 96" | |
| System Layouts | Most options available | ES101 and ES201 only | All options available |
| Finish | Painted, user applied | Painted, user applied | Factory prime, stained finish or user applied |
| Overhang Requirements | Reduced overhang requirements* | No overhang requirements* | Standard overhang requirements* |
| Application | Residential Not Available for Commercial | Residential Not Available for Commercial | Residential Not Available for Commercial |
| Limited Warranty | 10 year** | 10 year** | 5 year factory primed or finished; 3 year unfinished** |
| Maintenance | Painted finish should be inspected annually and re-applied as needed | Painted finish should be inspected annually and re-applied as needed | Top coat finish should be inspected annually and re-applied as needed |
| Dark Finishes / Paint | Warrantied when ordered with factory multi-point lock | Warrantied when ordered with factory multi-point lock | Warrantied when ordered with factory multi-point lock |
| Wood Screen / Storm Door | Not available | Not available | Available |
| Sills | Five different sill options available | Hydrosill™ | Six different sill options available |
| Multipoint Lock | GU-Secure Automatic multipoint lock available | GU-Secure Automatic multipoint lock required for pairs | GU-Secure Automatic multipoint lock available |

* Refer to TruStile Resilient limited warranty for overhang requirements

** Additional requirements may apply, please refer to TruStile warranty

Industry-Leading Warranty Coverage


TruStile Wood Entry Systems come backed with industry-leading warranty coverage. Door systems that are factory finished by TruStile are warrantied to be free from manufacturing defects for 5 years from date of purchase for the Reserve Wood Entry System™ and 10 years from date of purchase for the Resilient Wood Entry System™ depending on application and specifications. Door systems purchased raw and unfinished are warrantied to be free from manufacturing defects for 3 years from date of purchase. Due to its aging characteristics, Alder door systems are warrantied for 1 year from date of purchase.

Please see www.trustile.com/warranties for specific detail warranty information for each product.

Requirements for Warranty Coverage


Your TruStile Entry Door should be viewed as a piece of well-engineered fine furniture. Careful steps have been taken to design the product to perform in proper exterior openings. However, finishes and natural wood both weather and break down over time. This weathering process increases with greater exposure to the elements. TruStile Wood Entry systems, like those sold by other manufacturers, require proper overhang protection to meet warranty requirements (see diagram below for details). Proper overhang helps to protect both the finish and the natural wood from moisture and UV damage. Even with proper overhang, the topcoat of any stained natural wood door must be inspected annually and reapplied during early signs of fading. Maintaining the topcoat will maximize the life of your natural wood door and is also required to maintain TruStile warranty coverage.

Overhang Requirements



Standard Overhang


Required for Reserve Wood Entry System™ warranty coverage



Reduced Overhang

Required for warranty coverage on:

- Resilient Wood Entry Systems with sidelites and/or transoms
- Resilient single and pair units with oak adjustable sill
- Resilient pair units without multi-point locks




No Overhang Required

Warranty coverage available for Resilient single and pair units meeting the following:

- Hydrosill™ required
- 3'6" x 8'0" maximum single door width
- 6'0" x 8'0" maximum pair width
- Multi-point lock required for no overhang coverage on pairs

Design Tools

Design, Configure and Visualize Your Projects




Door Visualizer

Imagine the possibilities for your home with the TruStile Door Visualizer. Customize your door's style and materials and see changes in real-time.

Share a link to your configured door with others or download a PDF tear sheet, high resolution image or 3D model for use in modeling programs.



www.trustile.com/visualizer



Project Configurator

Design your own door package. Specify the height, width and location of all components within a door and save to a project.

Project Configurator projects can be exported as a door schedule that opens directly in Microsoft® Excel, as a PDF of drawings or CAD models to import directly into your plans.



www.trustile.com/configurator



See page 45 for product specs.



TruStile Doors, LLC
1111 East 71st Avenue
Denver, CO 80229
888.286.3931

